

CROP INTELLIGENCE

Crops of 1971 in Different Localities

TABLE 1

LOCALITY	Crop	Nuts per Palm			Copra Outturn		
		Average	This Crop	% Departure from Average	Average	This Crop	% Departure from Average
Gonawila (Makandura)	1st	6.1	8.1	+33	1,257	1,183	+ 5.9
	2nd	8.0	10.7	+34	1,240	1,167	+ 5.9
	3rd	10.3	12.8	+24	1,249	1,205	+ 3.5
	4th	11.5	17.4	+51	1,248	1,236	+ 1.0
	5th	11.4	14.1	+24	1,300	1,280	+ 1.5
	6th	5.4	9.1	+68	1,293	1,312	- 1.5
Gonawila (Lihiriyagama)	1st	7.5	7.4	- 1	1,184	1,158	+ 2.2
	2nd	9.3	8.3	-11	1,139	1,149	- 0.9
	3rd	12.9	10.1	-22	1,167	1,176	- 0.8
	4th	15.5	14.7	- 5	1,222	1,248	- 2.1
	5th	14.1	12.9	- 8	1,256	1,206	+ 4.0
	6th	9.0	9.7	+ 8	1,280	1,223	+ 4.5
Giriulla	1st	6.2	5.1	-18	1,220	1,200	+ 1.6
	2nd	8.3	13.4	+61	1,193	1,239	- 3.9
	3rd	14.2	14.2	0	1,254	1,257	- 0.2
	4th	15.6	14.2	- 9	1,311	1,264	+ 3.6
	5th	13.0	10.9	-16	1,389	1,262	+ 9.1
	6th	7.6	6.6	-13	1,310	1,258	+ 4.0
Kurunegala	1st	5.2	6.5	+25	1,359	1,311	+ 3.5
	2nd	7.7	7.1	- 8	1,398	1,380	+ 1.3
	3rd	12.2	11.6	- 5	1,409	1,388	+ 1.5
	4th	12.6	11.4	-10	1,442	1,395	+ 3.2
	5th	10.6	10.6	0	1,445	1,353	+ 6.4
	6th	7.4	7.5	+ 1	1,434	1,294	+ 9.8
Mawathagama	1st	5.9	7.0	+19	1,196	1,309	- 9.4
	2nd	5.9	4.7	-20	1,196	1,362	-13.9
	3rd	11.1	8.7	-22	1,271	1,319	- 3.8
	4th	13.7	13.6	- 1	1,282	1,328	- 3.6
	5th	12.3	14.2	+15	1,283	1,357	- 5.8
	6th	9.3	12.8	+38	1,280	1,369	- 7.0
Lunuwila	1st	7.7	8.1	+ 5	1,215	1,187	+ 2.3
	2nd	11.6	10.0	-14	1,217	1,202	+ 1.2
	3rd	15.3	12.6	-18	1,267	1,288	- 1.7
	4th	13.4	11.1	-17	1,337	1,266	+ 5.3
	5th	8.7	8.7	0	1,354	1,293	+ 4.5
	6th	6.4	7.9	+23	1,315	1,165	+11.4
Nattandiya	1st	6.4	7.9	+23	1,202	1,260	- 4.8
	2nd	13.0	7.8	-40	1,227	1,260	- 2.7
	3rd	15.7	12.3	-22	1,289	1,277	+ 0.9
	4th	14.0	13.2	- 6	1,344	1,303	+ 3.0
	5th	9.2	11.6	+26	1,394	1,269	+ 9.0
	6th	6.1	6.5	+ 6	1,287	1,281	+ 0.5

Crop Intelligence—Continued

LOCALITY	Nuts per Palm				Copra Outturn*		
	Crop †	Average	This Crop	% Departure from Average	Average	This Crop	% Departure from Average
Kudawewa	1st	7.9	11.3	+43	987	1,059	-7.3
	2nd	11.3	15.7	+39	988	1,079	-9.2
	3rd	17.1	21.5	+26	1,051	1,124	-6.9
	4th	14.8	19.7	+33	1,105	1,178	-6.6
	5th	10.3	15.1	+47	1,086	1,131	-4.1
	6th	8.2	11.8	+44	1,021	1,069	-4.7
Chilaw	1st	10.2	11.0	+8	—	1,260	—
	2nd	13.0	14.6	+12	—	1,430	—
	3rd	12.5	12.7	+2	—	1,367	—
	4th	14.8	9.4	-36	—	1,265	—
	5th	13.5	8.0	-41	—	1,210	—
	6th	9.3	10.4	+12	—	*	—
Bingiriyo	1st	7.3	7.5	+3	—	*	—
	2nd	10.4	10.7	+3	—	*	—
	3rd	17.3	15.6	-10	—	*	—
	4th	14.9	13.6	-9	—	*	—
	5th	13.0	12.1	-7	—	*	—
	6th	8.7	10.2	+17	—	*	—
Madampe (Panirendawa)	1st	7.9	11.8	+49	1,245	1,306	-4.9
	2nd	13.2	16.7	+27	1,346	1,390	-3.3
	3rd	14.8	15.9	+7	1,365	1,488	-9.0
	4th	13.3	18.6	+40	1,367	1,355	+0.9
	5th	8.7	13.5	+55	1,472	1,388	+5.7
	6th	6.4	11.5	+80	1,416	1,307	+7.7
Rajakadaluwa	1st	10.3	9.4	-9	1,151	1,285	-11.6
	2nd	12.5	14.1	+13	1,135	1,273	-12.2
	3rd	17.1	19.0	+11	1,182	1,340	-13.4
	4th	15.7	16.1	+3	1,214	1,292	-6.4
	5th	14.4	13.3	-8	1,219	1,304	-7.0
	6th	11.5	9.6	-17	1,188	1,298	-9.2
Madurankuli	1st	8.9	12.8	+44	1,063	1,205	-13.4
	2nd	10.8	12.1	+12	1,066	1,230	-15.4
	3rd	13.2	13.8	+5	1,119	1,250	-11.7
	4th	11.7	9.7	-17	1,127	1,300	-15.4
	5th	10.4	9.3	-11	1,102	1,300	-18.0
	6th	10.7	12.1	+13	1,102	1,250	-13.4
Negombo	1st	6.7	7.6	+13	1,097	1,109	-1.1
	2nd	7.5	6.8	-9	1,085	1,111	-2.4
	3rd	12.8	11.6	-9	1,132	1,129	+0.3
	4th	13.9	13.9	0	1,177	1,175	+0.2
	5th	10.7	16.4	+53	1,219	1,187	+2.6
	6th	7.5	7.2	-4	1,212	1,168	+3.6

* Copra not cured.

† 1st crop (Jan.-Feb.), 2nd crop (Mar.-Apr.), 3rd crop (May-June) 4th crop (July-Aug.), 5th crop (Sept.-Oct.), 6th crop (Nov.-Dec.).

Compiled by G. KARUNASENA,
Senior Field Assistant.

CROP INTELLIGENCE

Crops of 1972 in Different Localities

TABLE 1

LOCALITY	Crop	Nuts per Palm			Copra Outturn		
		Average	This Crop	% Departure from Average	Average	This Crop	% Departure from Average
Gonawila (Makandura)	1st	6.1	6.0	- 2	1,257	1,268	- 0.9
	2nd	8.0	14.6	+ 82	1,240	1,397	+12.7
	3rd	10.3	14.5	+ 41	1,249	1,398	+11.9
	4th	11.5	10.1	- 12	1,248	1,398	+12.0
	5th	11.4	10.6	- 7	1,300	1,509	+16.1
	6th	5.4	4.7	- 13	1,293	1,738	+34.4
Gonawila (Lihiriyagama)	1st	7.5	7.9	+ 5	1,184	1,198	+ 1.2
	2nd	9.3	15.9	+ 71	1,139	1,228	+ 7.8
	3rd	12.9	12.8	- 1	1,167	1,277	+ 9.4
	4th	15.5	9.9	- 36	1,222	1,269	+ 3.8
	5th	14.1	9.0	- 36	1,256	1,445	+15.0
	6th	9.0	4.1	- 54	1,280	1,402	+ 9.5
Giriulla	1st	6.2	5.7	- 8	1,220	1,230	+ 0.8
	2nd	8.3	18.9	+128	1,193	1,318	+10.5
	3rd	14.2	11.5	- 19	1,254	1,421	+13.3
	4th	15.6	11.1	- 29	1,311	1,422	+ 8.5
	5th	13.0	10.2	- 22	1,389	1,683	+21.2
	6th	7.6	3.8	- 50	1,310	1,693	+29.2
Kurunegala	1st	5.2	6.8	+ 31	1,359	1,313	+ 3.4
	2nd	7.7	12.2	+ 58	1,398	1,354	+ 3.1
	3rd	12.2	11.0	- 10	1,409	1,494	+ 6.0
	4th	12.6	8.7	- 31	1,442	1,426	+ 1.1
	5th	10.6	9.0	- 15	1,445	1,530	+ 5.9
	6th	7.4	4.4	- 40	1,434	1,487	+ 3.7
Mawatagama	1st	5.9	9.1	+ 54	1,196	1,350	+12.9
	2nd	5.9	7.6	+ 29	1,196	1,363	+14.0
	3rd	11.1	14.0	+ 26	1,271	1,374	+ 8.1
	4th	13.7	12.0	- 12	1,282	1,487	+16.0
	5th	12.3	13.5	+ 10	1,283	1,500	+16.9
	6th	9.3	9.8	+ 5	1,280	1,576	+23.1
Lunuwila	1st	7.7	10.0	+ 30	1,215	1,160	+ 4.5
	2nd	11.6	14.0	+ 21	1,217	1,211	+ 0.5
	3rd	15.3	12.1	- 21	1,267	1,258	+ 0.7
	4th	13.4	9.4	- 30	1,337	1,332	+ 0.4
	5th	8.7	7.6	- 13	1,354	1,591	+17.5
	6th	6.4	3.6	- 44	1,315	1,434	+ 9.0
Nattandiya	1st	6.4	14.7	+130	1,202	1,354	+12.6
	2nd	13.0	9.6	- 26	1,227	1,462	+19.2
	3rd	15.7	10.1	- 36	1,289	1,412	+ 9.5
	4th	14.0	8.9	- 36	1,344	1,677	+24.8
	5th	9.2	2.6	- 72	1,394	1,454	+ 4.3
	6th	6.1	2.0	- 67	1,287	1,425	+10.7
Kudawewa	1st	7.9	12.1	+ 53	987	1,061	+ 7.5
	2nd	11.3	16.2	+ 43	988	1,096	+10.9
	3rd	17.1	19.9	+ 16	1,051	1,138	+ 8.3
	4th	14.8	16.0	+ 8	1,105	1,168	+ 5.7
	5th	10.3	13.7	+ 33	1,086	1,207	+11.1
	6th	8.2	8.9	+ 8	1,021	1,202	+17.7

LOCALITY	Crop †	Average	This Crop	% Departure from Average	Average	This Crop	% Departure from Average
Chilaw	1st	10.2	11.7	+15	—	—*	—
	2nd	13.0	16.1	+24	—	—*	—
	3rd	12.5	11.4	-9	—	—*	—
	4th	14.8	11.4	-23	—	—*	—
	5th	13.5	9.9	-27	—	—*	—
	6th	9.3	6.2	-33	—	—*	—
Bingiriya	1st	7.3	10.1	+38	—	—*	—
	2nd	10.4	14.0	+35	—	—*	—
	3rd	17.3	14.8	-14	—	—*	—
	4th	14.9	13.7	-8	—	—*	—
	5th	13.0	13.1	+1	—	—*	—
	6th	8.7	4.9	-44	—	—*	—
Madampe (Panirendawa)	1st	7.9	13.3	+68	1,245	1,400	-12.4
	2nd	13.2	17.7	+34	1,346	1,001	+25.6
	3rd	14.8	17.2	+16	1,365	1,416	-3.7
	4th	13.3	18.9	+42	1,367	1,300	+4.9
	5th	8.7	11.0	+26	1,472	1,584	-7.6
	6th	6.4	9.1	+42	1,416	1,584	-11.9
Rajakadalawa	1st	10.3	9.7	-6	1,151	1,280	-11.2
	2nd	12.5	14.5	+16	1,135	1,281	-12.9
	3rd	17.1	17.5	+2	1,182	1,290	-9.1
	4th	15.7	15.5	-1	1,214	1,324	-9.1
	5th	14.4	12.7	-12	1,219	1,365	-12.0
	6th	11.5	7.5	-35	1,188	1,397	-17.6
Madurankuli	1st	8.9	11.7	+31	1,063	1,225	-15.2
	2nd	10.8	11.4	+6	1,066	1,190	-11.6
	3rd	13.2	9.9	-25	1,119	1,170	-4.6
	4th	11.7	11.7	0	1,127	1,190	-5.6
	5th	10.4	9.7	-7	1,102	1,180	-7.1
	6th	10.7	9.3	-13	1,102	1,200	-8.9
Negombo	1st	6.7	7.3	+9	1,097	—*	—
	2nd	7.5	9.9	+32	1,085	—*	—
	3rd	12.8	9.6	-25	1,132	—*	—
	4th	13.9	18.4	+32	1,177	—*	—
	5th	10.7	11.5	+7	1,219	—*	—
	6th	7.5	6.8	-9	1,212	—*	—

* Copra not cured.

† 1st crop (Jan.-Feb.), 2nd crop (March-April), 3rd crop (May-June), 4th crop (July-Aug.), 5th crop (Sept.-Oct.), 6th crop (Nov.-Dec.).

Compiled by G. KARUNASENA,
Senior Field Assistant,
Biometry Division.